

covered the *veedi*. I put up the hide about 12 feet from the nest and bent down the grass in front so as to enable photographs to be taken. As the road was very bad I did not wish to come here again, and decided to take the risk of attempting to photograph immediately.

The female florican arrived a short while after my helper had left me in the hide and returned to the car. On seeing the lens she at once adopted an aggressive pose and advanced close up; in fact she was not more than a foot from the hide and I was unable to take photographs with my tele lens. After this display she went back to the nest and started pushing the eggs, one by one, back into the thick cover. When all the eggs were removed she started incubating them.

As I wished to take photographs of the bird incubating, I signalled to my helper to come over, and asked him to place the eggs in their former position in the open. Immediately he left the bird returned and again removed them into the grass. By this time it was getting late, so I signalled to my helper a second time to come over and move the eggs into the open. The bird did not remove them again but settled down and started incubating, and I did get the pictures I wanted.

I have noticed this habit of rolling the eggs into the cover also with other floricans that I have photographed.

JASDAN,
July 9, 1958.


M. K. SHIVRAJKUMAR

10. WILSON'S STORM PETREL, *OCEANITES OCEANICUS* (KUHL), AT COLOMBO

Since the compilation of scattered records of observations of Wilson's Storm Petrel in seas to the north of its breeding grounds by Roberts (1940), Gibson-Hill (1948), Serventy (1952), and others, a fairly complete picture has been obtained of the seasonal movements of this bird. From observations in the Indian Ocean and Arabian Sea, it appears, as Gibson-Hill (1948) has stated, that 'Wilson's Petrel is plentiful in the area comprising the western portion of the Arabian Sea, the Gulf of Aden and the southern half of the Red Sea, from June to September, and apparently absent from the southern half of the Indian Ocean'.

These areas, particularly the Gulf of Aden, are becoming increasingly well documented by reports from various voyagers, but

LESSER FLORICAN (FEMALE)



"On seeing the lens she at once adopted an aggressive pose and advanced close up. . . ."

Photos : M. K. Shivraj Kumar

LESSER FLORICAN (FEMALE)



“After this display she went back to the nest and started pushing the eggs, one by one, back into the thick cover.”

Photos : M. K. Shivrajkumar